| 1  | CLAIMS   |
|----|--|
| 2  |  |
| 3  | I Claim:   |
| 4  |  |
| 5  | 1. A coal bed methane wastewater treatment system, comprising:                       |
| 6  | an ozone diffusion tank that receives coal bed methane wastewater (CBMW)             |
| 7  | from one or more coal bed methane wells, wherein ozone is injected into said CBMW;   |
| 8  | a prefilter tank fluidly connected to said ozone diffusion tank;                     |
| 9  | a primary filter fluidly connected to said prefilter tank; and                       |
| 10 | a secondary filter fluidly connected to said primary filter, wherein said            |
| 11 | secondary filter receives the reject water from said primary filter.                 |
| 12 |  |
| 13 |  |
| 14 | 2. The coal bed methane wastewater treatment system of Claim 1, including a          |
| 15 | permeate tank fluidly connected to said primary filter and said secondary filter for |
| 16 | receiving the permeate water from thereof respectively.                              |
| 17 |  |
| 18 |  |
| 19 | 3. The coal bed methane wastewater treatment system of Claim 2, wherein said         |
| 20 | permeate tank provides backwash water to said prefilter tank for backwashing said    |
| 21 | prefilter tank.  |
| 22 |  |
| 23 |  |
| 24 | 4. The coal bed methane wastewater treatment system of Claim 2, wherein said         |
| 25 | permeate tank provides flush water to said primary filter for flushing said primary  |
| 26 | filter.  |
| 27 |  |
| 28 |  |

1 5. The coal bed methane wastewater treatment system of Claim 2, wherein said 2 permeate tank provides flush water to said secondary filter for flushing said secondary 3 filter. 4 5 6 6. The coal bed methane wastewater treatment system of Claim 2, wherein said 7 permeate tank is fluidly connected to a natural waterway for dispensing collected 8 permeate water. 9 10 11 7. The coal bed methane wastewater treatment system of Claim 6, including a 12 sodium absorption ratio tank positioned between said permeate tank and said natural 13 waterway, wherein said sodium absorption ratio tank dissolves a desired amount of 14 calcium within said permeate water. 15 16 17 8. The coal bed methane wastewater treatment system of Claim 1, including a 18 holding pond fluidly connected to said secondary filter for receiving the reject water 19 from said secondary filter. 20 21 22 9. The coal bed methane wastewater treatment system of Claim 8, wherein said 23 holding pond is fluidly connected to said prefilter tank, said primary filter and said 24 secondary filter for receiving backwash water and flush water. 25 26 27 10. The coal bed methane wastewater treatment system of Claim 8, wherein 28 said holding pond has a settling side and an evaporation side separated by a permeable

29

divider.

| 1  |  |
|----|--|
| 2  |  |
| 3  | 11. The coal bed methane wastewater treatment system of Claim 10, including            |
| 4  | an evaporation system for enhancing evaporation of water within said evaporation       |
| 5  | side.  |
| 6  |  |
| 7  |  |
| 8  | 12. The coal bed methane wastewater treatment system of Claim 1, wherein               |
| 9  | said ozone is injected into said CBMW prior to entering said ozone diffusion tank.     |
| 10 |  |
| 11 |  |
| 12 | 13. A coal bed methane wastewater treatment system, comprising:                        |
| 13 | an ozone diffusion tank that receives coal bed methane wastewater (CBMW)               |
| 14 | from one or more coal bed methane wells, wherein ozone is injected into said CBMW      |
| 15 | prior to entering said ozone diffusion tank;   |
| 16 | a prefilter tank fluidly connected to said ozone diffusion tank;                       |
| 17 | a primary filter fluidly connected to said prefilter tank;                             |
| 18 | a secondary filter fluidly connected to said primary filter, wherein said              |
| 19 | secondary filter receives the reject water from said primary filter;                   |
| 20 | a permeate tank fluidly connected to said primary filter and said secondary filter     |
| 21 | for receiving the permeate water from thereof respectively, wherein said permeate tank |
| 22 | provides backwash water to said prefilter tank for backwashing said prefilter tank;    |
| 23 | wherein said permeate tank provides flush water to said primary filter for             |
| 24 | flushing said primary filter and wherein said permeate tank provides flush water to    |
| 25 | said secondary filter for flushing said secondary filter;                              |
| 26 | wherein said permeate tank is fluidly connected to a natural waterway for              |
| 27 | dispensing collected permeate water;   |

1 a sodium absorption ratio tank positioned between said permeate tank and said 2 natural waterway, wherein said sodium absorption ratio tank dissolves a desired 3 amount of calcium within said permeate water; 4 a holding pond fluidly connected to said secondary filter for receiving the reject 5 water from said secondary filter, wherein said holding pond is fluidly connected to said 6 prefilter tank, said primary filter and said secondary filter for receiving backwash 7 water and flush water; 8 wherein said holding pond has a settling side and an evaporation side separated 9 by a permeable divider; and 10 an evaporation system for enhancing evaporation of water within said 11 evaporation side. 12 13 14 14. A method of treating coal bed methane wastewater, said method 15 comprising the following steps: 16 (a) collecting coal bed methane wastewater (CBMW) from one or more coal 17 bed methane wells; 18 (b) injecting ozone into said CBMW; 19 (c) inputting said CBMW into an ozone diffusion tank for a period of time; 20 (d) prefiltering said CBMW within a prefilter tank; 21 (e) filtering said CBMW through a primary filter; (f) filtering the reject water from said primary filter through a secondary filter; 22 23 (g) transferring the permeate water from said primary filter and said secondary 24 filter to a permeate tank; and 25 (h) transferring the permeate water to a natural waterway. 26

27

15. The coal bed methane wastewater treatment system of Claim 14, including the step of providing the permeate water from said permeate tank to said prefilter tank for backwashing said prefilter tank. 16. The coal bed methane wastewater treatment system of Claim 14, including the step of providing the permeate water from said permeate tank to said primary filter for flushing said primary filter. 17. The coal bed methane wastewater treatment system of Claim 14, including the step of dissolving calcium within the permeate water prior to said step (h) transferring the permeate water to said natural waterway. 18. The coal bed methane wastewater treatment system of Claim 14, including the step of transferring the reject water from said secondary filter to a holding pond. 19. The coal bed methane wastewater treatment system of Claim 18, including the step of transferring the backwash water and the flush water to said holding pond. 20. The coal bed methane wastewater treatment system of Claim 18, including the step of enhancing the evaporation of water within said holding pond.